AUTHOR INDEX

Vol. 24 (1983)

Abe, Shigeo (阿部重雄) 39, 95, 109, 409
Abe, Yasuhisa (阿部恭久) 235
Akamatsu, Ken-ichi (赤松健一) 173
Amano, Norihide (天野典英) 35, 283
Ando, Katsuhiko (安藤勝彦) 271
Aoki, Joji (青木襄児) 487
Araki, Takao (荒木隆男) 79, 313
Awano, Masahiro (淡野政弘) 109
Banno, Isao (坂野　勲) 441
Chen, Kuei-Yuh (陳　桂玉) 223
Chien, Chiu-Yuan (簡　秋源)...............223
Endo, Toshio (遠藤敏夫) 165
Furukawa, Hisahiko (古川久彦) 235
Goto, Masao (後藤正夫) 213
Goto, Shoji (後藤昭二) 151
Harada, Yukio (原田幸雄) 127, 299
Hatanaka, Shin-Ichi (畑中信一) 191
Hennen, Joe F......................................369
Hirano, Katsuhiro (平野勝裕) 477
Hiratsuka, Naohide (平塚直秀) 433, 437
Horikoshi, Takao (堀越孝雄) 467
Ishikawa, Tsutomu (石川　勉) 409
Ishizaki, Hiroshi (石崎　寛) 7, 477
Iwai, Masanori (岩井正憲)
........................39, 95, 109, 409
Kakishima, Makoto (柿島　真)......159, 403
Kamada, Takashi (鎌田　堯) 173
Kaneko, Shigeru (金子　繁) 433, 437
Kasai, Zenzaburo (葛西善三郎) 467
Katumoto, Ken (勝本　謙) ...249, 259, 433
Katsuya, Keizo (勝屋敬三) 89
Kawai, Masanobu (川合正允) 65
Kawamura, Noriko (河村のり子) 213
Kimijima, Etsuo (君島悦夫)..................319
Kimura, Kosei (木村工成) 191
Kitamoto, Yutaka (北本　豊) 467
Kobayashi, Takao (小林享夫) 277
Kobayasi, Yosio (小林義雄)..................507
Kodama, Kenkichi (小玉健吉) 441
Kohno, Mitsuru (河野　満) 7, 477
Kunoh, Hitoshi (久能　均) 7, 341, 477
Lee, Jae Dong (李　宰東) 53
Lin, Ping-Hung (林　昞宏) 7
Manoch, Leka 451
Matsumoto, Naoyuki (松本直幸) ...313, 459
Mikata, Kozaburo (見方洪三郎) 441
Moriguchi, Mitsuaki (森口充瞭) 191
Murata, Shin-ichi (村田新一) 121
Nakagiri, Akira (中桐　昭) 121
Nakamura, Yoshihiro (中村嘉宏) 213
Neda, Hitoshi (根田　仁) 235
Nomura, Yukihiko (野村幸彦)
.... 197, 201, 231, 307
Nonaka, Fukuji (野中福次) 205
Oguri, Hiroyuki (小栗博幸) 151
Ogoshi, Akira (生越　明) 79, 329
Ohta, Akira (太田　明) 185
Okino, Tomio (沖野登美雄) 229
Oniki, Masaomi (鬼木正臣) 79
Ono, Yoshitaka (小野義隆)...............1, 369
Sakai, Takuo (坂井拓夫) 53
Sato, Shoji (佐藤昭二) 159, 403
Sato, Toru (佐藤　徹) 313
Sato, Toyozo (佐藤豊三).........................89
Shidei, Yoshiko (四手井淑子) 357
Shigemitsu, Haruhiro (重光春洋) 477
Shimono, Yoshito (下野義人) 497
Shindo, Satoshi (新藤　聡) 319
Sugiyama, Junta (杉山純多) 53
Suto, Yasuo (周藤靖雄) 277, 419
Tajimi, Akitoshi (但見明俊) 313, 459
Takada, Masaki (高田正樹) 143
Takemaru, Tsuneo (武丸恒雄) 173
Tamada, Akira (玉田　明) 319
Tanaka, Hideyuki (田中英之) 95
Tanaka, Kinji (田中欽二) 205
Tanda, Seinosuke (丹田誠之助)
.... 197, 201, 307
Tokumasu, Seiji (徳増征二).........(367), 425
Tominaga, Tokito (富永時任)...............319
Tubaki, Keisuke (椿　啓介)
...92, 121, 271, 361, 425, 451, (508)
Tsuruta, Teruyuki (鶴田輝之) 65
Udagawa, Shun-ichi (宇田川俊一)
.........135, 143, (246), (247), (368)
Ueda, Seiichi (上田成一) 135
Ui, Tadao (宇井格生) 79, 329
Wada, Hiroyuki (和田浩幸) 319
Wakae, Osamu (若江　治) 165
Watanabe, Kayo (渡辺香代) 451
Watanabe, Tsuneo (渡辺恒雄) 15, 25
Yamamori, Kazuo (山守一男) 7
Yamamoto, Mitsue (山本光江) 487
Yokoyama, Kazunari (横山和成) 329
Yoshioka, Hajime (吉岡　一) 39

FUNGUS INDEX

Vol. 24 (1983)

Names of new taxa are indicated in bold face.

Achrotelium 397
Aecidium 1, 3, 6, 127, 437; ainsliaeae 162; circaeae 403; dioscoreae 373; paeoniae 127, 132; veronicae-sibiricae 437
Agaricus bisporus 65–68, 73–76; placomyces 235; silvicola 235
Agrocybe sp. 235
Aleuria aurea 244; rheana 244
Alternaria brassicicola 8, 10; kikuchiana 7–8, 10, 12, 344, 484; tennuis 484
Amanita sp. 236; fulva 235; haemiblephora 235; hemibapha 235; longistriata 235; muscaria 236; rubescens 236; vaginata 236
Ambrosiozyma 448; spp. 449; ambrosiae 448; cicatricosa 448; monospora 448; philentoma 448
Amoeninae 504
Anguillospora 453; gigantea 452, 454; longissima 452–453, 456
Anhellia purpurascens 387
Anthracoidea 299; subinclusa 299, 302, 306
Aplopsora 397, 435
Armatella spp. 253; cinnamomicola 253; litseae 249, 252–253
Armillariella mellea 236
Arthrobotryum clavasum 250; melanoplaca 251; noz-moscatae 250; scoparium 251
Articulospora 271, 274; foliicola 272, 274; ozeensis 272, 274; tetracladia 452, 455
Aseroe rubra 229–230
Aspergillus 92, 345, 351, 416; awamori 343–344, 346; flavus 182, 343–345, 352, 348; fumigatus 352; niduoans 173, 182; nidulans 343, 345, 347, 349, 350–352; niger 205, 207, 209–210, 343, 351; rugulosus 343, 351–352; phoenicis 10
Asteridiella aucubae 249, 251, 258
Asterina aucubae 249, 257–258
Astraeus hygrometricus 236
Asymmetrica 96, 99, 106–107
Aulographina pinorum 427
Aureobasidium pullulans 151, 154–155, 157
Auricularia auricula-judae 236
Bahusakala 425, 427–428; cookei 427; **longispora** 425–428, 430–431; olivaceonigra 427
Basidiobolus ranarum 487, 494
Basidioradulum radula 236
Bisporella sulphurina 244
Bitzea 380; ingae 384–385
Biverticillium 95–96, 106, 108, 116, 120
Bjerkandera adusta 236
Blastospora butleri 382
Boletellus mirabilis 236
Boletopsis leucomelas 236
Botryoascus synnaedendrus 448–449
Botryorhiza 397
Botrytis cinerea 343, 353
Brachiosphaera tropicalis 452, 454
Brachysporium intricatum 254
Caeoma 394
Calidion 369
Calodon sp. 236
Caloscypha fulgens 244
Calyptospora goeppertiana 236
Camarosporium magnoliae 121
Campylospora sp. 452–453, 455; chaetocladia 452–453, 455
Candida agrestis 154–155; albicans 342–343, 345–346; krusei 154–155; montana 154–155; parapsilosis 154–155
Canescentia 95, 108
Cantharellula cyathiformis 236; cibarius 236
Cephalosporium 351; acremonium 344, 346–347, 351, 353
Ceratobasidium 79–81, 85; sp. 83–84; spp. 81–82; anceps 83; angustisporum 83; cornigerum 81, 83–85; globisporum 83; gramineum 84; obsculum 83; pseudocornigerum 83; ramicola 83; sphaerosporum 83
Cercospora 92
Ceropsora 397
Cerotelium 433, 435–436; **asari** 433, 435–436; canavaliae 435; dicentrae 435; tanakae 435
Chaconia 369, 380, 383, 387, 394–397, 402; alutacea 381–382, 394; baphiae 387; berroana 387; **braziliensis** 369, 381–382, 402; butleri 381–382; coaetanea 381, 383, 394; erythroxyli 387; ingae 381, 384, 394; maprouneae 381, 386; milletiae 387; tectonae 392–393; texensis 387
Chaetoporus subornatus 236
Chalara paradoxa 138
Chlorosplenium aeruginosum 244
Chnoopsora butleri 377
Chroogomphus tomentosus 236
Chrysocelis 369, 376–377, 394–397, 402; butleri 376–377; coaetaneum 383; geophilicola 376–377; globbae 376, 378; gynostemmatis 376, 378; indica 377; lupini 376, 379, 394; muehlenbeckiae 376, 380
Chrysocyclus 397
Chrysomyxa 397; succinea 236
Cintractia subinclusa 299

Clavaria kunzei 236
Clavariadelphus pistillaris 236
Clavariopsis sp. 452–454; aquatica 452, 456
Clavatospora tentacula 452, 456
Claviceps purpurea 342, 345, 347, 353
Clavulina cristata 236; ornatipes 236
Clavulinopsis pulchra 236
Clitocybe sp. 236; cerussata 236; clavipes 236; gibba 236
Citrina 409–410, 418
Cochliobolus heterostrophus 342, 344–345, 348; miyabeanus 9
Coleosporium 435; maprouneae 386
Collethotrichum lagenarium 343–344
Collybia acervata 236; cookei 236; maculata 237; peronata 237
Coltricia cinnamomea 237
Columnocystis abietina 237
Conidiobolus coronatus 487, 494
Coprinus cinereus 173–174, 176, 182, 342, 344, 347; lagopus 65, 67–68, 76; rhizophorus 237
Cordyceps millitaris 244; bokyoensis 507
Coriolus brevis 237; cinerescens 237; consorus 68; hirsutus 237; versicolor 66, 237, 459
Corticium 83; gramineum 83–84
Cortinarius sp. 237; cinnamomeus 237; pseudosalor 237; purpurascens 237; sanguineus 237; semisanguineus 237; violaceus 237
Crassotunicatinae 504
Craterellus cornucopioides 237
Crucibulum vulgare 237
Culcidospora 453
Cryptococcus 153–154; laurentii var. flavescens 151, 154–155
Cudonia circinans 244; convoluta 223, 226–227; japonica 226
Cyanoxanthinae 504
Cystoderma sp. 237; amianthinum 237; cinnabarinum 237; granulosum 237
Cystopsora 397
Dactylomyces 138, 141; crustaceus 138; thermophilus 138
Daedalea heteromorpha 237; tanakae 237
Daedaleopsis purpurea 237; tricolor 237
Daldinia 495; concentrica 245
Dasyspora 397
Debaryomyces 444, 450; hansenii 441, 444–447, 449
Dendrospora tenella 452, 454
Dermatodothis 259–260, 262–264; buddleyae 263; jahnii 263; **japonica** 259, 261–262, 265; javanica 260, 262; **quercicola** 259, 262–263, 266
Desmella 397; zeylanica 259–261
Desmotelium 380, 383; coaetaneum 383
Diatrype sp. 245; stigma 245
Dichomitus serpens 237
Dictyophora indusiata 237
Dipodascus 60; reessii 53–54, 58
Divaricata 96, 99
Divaricatum 95, 105, 107, 109–120, 417–419
Dwayaangam 453
Edythea 397
Elytroderma 422
Endomyces 60; anomalus 60; capsularis 60; cortinarii 60; decipiens 60; fibuliger 60; javanensis 60; geotrichum 54, 59–60; magnusii 60; ovetensis 60; parasiticus 60; reessii 53–54, 59–61; tetrasperma 60
Endomycopsis 61; sp. 53
Entomophthora 494–495; aphidis 495; gammae 487, 494; grylli 487, 494; sphaerosperma 487; thaxteriana 487, 495; virulenta 487
Eocronartium 376, 397–398
Erynia radicans 487–494, 496
Erysiphe 310
Eupenicillium 143, 150; **angustiporcatum** 143, 145–146, 148, 150; catenatum 149; fractum 148–150; **nepalense** 146–150; ornatum 149; tularense 146, 148, 150
Farinipes 504
Farysia 299; fukushiana 299–301, 306
Favolus 474; arcularius 467–474
Fellutana 109–110, 120
Flabellospora 457; sp. 452, 454; verticillata 452, 454
Flammulina velutipes 74, 467, 474
Foetentinae 504
Fomes cajanderi 459; fomentarius 237
Fomitopsis castanea 68; pinicola 237
Furcatum 95, 107–109, 115–116, 119–120, 409–411, 418
Fusarium 92, 457, 485; sp. 338–339; culmorum 11, 343, 345, 348–349; nivale 459; f. sp. graminicola 170; oxysporum 478–480, 483–485; f. sp. cucumerinum 477, 486; solani f. sp. phaseoli 211
Fuscoboletinus aeruginascens 238; paluster 238; spectabilis 238
Galactomyces 60–61; spp. 59–60; geotrichum 53–54, 59–61; reessii 53–57, 60–61
Geastrum sp. 238
Geotrichum 53–54, 57; sp. 54, 58; candidum 59, 61, 343, 346, 349
Gerwasia 397
Gibberella fujikuroi 342, 344–345, 347
Gloeophyllum trabeum 238
Gloeosporium laeticolor 170

Gloniopsis 289; **constricta** 283, 289–291, 295, 297; curvata 289; decipiens 289; **macrospora** 283, 291–293, 295–297; praelonga 289, 293; pulla 289
Glonium 284, 289; interruptum 283, 286–287; lineare 283–286, 295, 297; **macrosporum** 283, 286–287, 295, 297; **sasicola** 283, 287, 289, 295, 297
Glonium stellatum 284
Gomphidius maculatus 238; roseus 238
Gomphus floccosus 238; fujisanensis 238
Goplana 369–370, 374, 394–397, 402; andina 371; aporosae 370–371; australis 370–371; cissi 371–372; concinna 371–372; dioscoreae 370, 372–373; ecuadorica 370, 374; espeletiae 370, 374; micheliae 370, 375; mirabilis 370, 375
Graphostroma platystoma 245
Gymnopilus sp. 2, 8; liquiritiae 238
Gyromitra 227
Grifola frondosa 74
Hamaspora gedeana 380
Hansenula 444, 450; anomala 441, 444–449; bimundalis 441, 445–447; var. americana 444, 449; californica 441, 444–447, 449; capsulata 441, 444–447, 449; dryadoides 448–449; glucozima 448–449; minuta 448–449; philodendra 448–449; saturnus 441, 444–447, 449; wingei 338, 441, 444–447; 449
Haplolepis zeylanica 260
Haploravenelia ingae 384
Helminthosporium asterinoide 256; conspicuum 256; dorycarpum 256; var. amazoniae 256; helleri 257; insigne 251; leucosykes 257; maculosum 257; melastomacearum 256; orbiculare 256; oryzae 343–344; panici 256; parathesicola 256
Helotium citrinum 245
Helvella 227; crispa 245; elastica 245; infula 223, 226–227
Hemileia 397
Hendersonula 260, 264; hyperparasite 260; yakushimensis 260
Hericinum ramosum 238
Herpobasidium 376, 397–398
Heterobasidion insulare 238
Hirschioporus fuscoviolaceus 238
Histoplasma fraciminosum 11
Hormoascus 444, 448, 450; platypodis 441, 444–448
Humaria hemisphaerica 245
Hyalopsora 397–398; aspidiotus 238
Hydnellum sp. 238; caeruleum 238; concrescens 238; suaveolens 238
Hydnum repandum 238; var. album 238
Hydropus sp. 238
Hygrophorus sp. 239; agathosmus 238; camarophyllus 238; chrysodon 238; coccineus 238; conicus 238; eburneus 238; fagi 238; hypothejus 238–239; leucophaeus 239; lucorum 239; ovinus 239; pudorinus 239; puniceus 239; purpurascens 239; russula 239
Hymenochaete intricata 239
Hypochnus setariae 83
Hypoderma 419, 422, 424; sp. 422; spp. 422; conigenum 422; cunninghamiae 422; rubi 422; **shimanense** 419–420, 423–424; thujae 422
Hypomyces sp. 245
Hypoxylon sp. 245; fragiforme 245; fuscum 245, 494; jecorinum 242; multiforme 245; rubiginosum 245; serpens 245
Hysterium citricolum 283; lineare 284–286; photiniae 283; praelonga 289; pulcare 283; thujopsidis 283
Hysteroglonium rokkoense var. purpurascens 289
Hysterographium 293; decipiens 283, 293; elongatum 293; fraxini 283, 293, 296; **minus** 283, 293–297; mori 289; pulicare 293
Ingratae 504
Inocybe sp. 239; cookei 239; fastigiata 239; geophylla 239; sororia 239
Irpex lacteus 68
Isariopsis clavata 250
Ischnoderma resinosum 239
Isthmotricladia gombakiensis 452, 454; laeensis 452, 456
Janthinella 95, 107
Jola 376, 397–398
Kluyveromyces 444, 450; thermotolerans 441, 444
Kuehneromyces sp. 239; mutabilis 239
Kloeckera apiculata 151, 154–155, 157
Kriegeria 397–398
Laccaria sp. 239; bicolor 239
Lactarius sp. 239; akahatsu 239; chrysorrheus 239; flavidulus 239; hatsudake 239; laeticolorus 239; scrobiculatus 239; torminosus 239; uvidus 239
Laetiporus sulphureus var. miniatus 239
Leccinum crocipodium 239; scabrum 240; testaceoscabrum 240
Lemonniera cornuta 452, 454
Lentinus edodes 74, 213–214, 216, 218–219
Lenzites betulina 240
Leotia lubrica 245
Lepidinae 504
Lepiota sp. 240; castanea 240; clypeolaria 240
Lepista nuda 240
Leptostroma 422, 424; **shimanense** 423; virgultorum 422
Lilaceinae 504

Lividinae 504
Lopadostoma turgidum 494
Lunnulospora curvula 452, 456; cymbiformis 452, 455
Lycoperdon sp. 240; perlatum 240
Lyophyllum decastes 240; fumosum 240; infumatum 240; shimeji 240; semitale 240; transforme 240; ulmarium 240
Macropodia macropus 245
Marasmius echinatulus 357–359
Maravalia 381, 387, 397; albescens 381; erythroxyli 387; ichnocarpi 380; ingae 384–386; milleticola 387; utriculata 384–385
Megaspora 409, 416, 418
Melampsora larici-capraearum 240
Melampsorella caryophyllacearum 240
Melampsoridium alni 240, 435; betulinum 240
Melanoleuca sp. 240
Melanoporia purpurascens 240
Melastiza charteri 245
Meliola sp. 249–250, 257–258; machili 249–250, 252, 256, 258; shiiae 249, 257–258; taityuensis 249, 257–258
Melipla osmanthi 249
Metschnikowia pulcherrima 155
Microascus 138
Microsphaera 201, 204; sp. 307, 311; abeliae 201, 203–204; alni 307, 311; berchemiae 310–311; coryli 310–311; deutziae 201–204; divaricata 310–311; **meliosmae** 307–311
Milesina 397–398
Morchella esculenta 191, 194–195
Mortierella vinacea 347, 352
Mutinus sp. 240
Mycena sp. 240; aurantiidiscus 240; crocata 240; epipterygia 240; filopes 240; haematopus 240; polygramma 240; pura 240
Mycoacia chrysorhiza 241
Mycoleptodonoides aitchisonii 241
Mycosphaerella 259; sp. 268; **dendrobii-nobilis** 259, 263, 267–268; lagunensis 259, 264, 266–268
Naematoloma sp. 241; dispersum 241; fasciculare 241; sublateritium 68–69, 241
Napicladium myrtacearum 256
Neobulgaria pura 245
Neurospora crassa 11, 341, 343, 345, 347
Ochropsora 397
Olivea 369, 387–388, 394–397, 402; capituliformis 388, 394; colebrookiana 388–389; fimbriata 388, 390–391, 394; petitiae 388, 391; scitula 388, 391, 393; tectonae 388, 392; **viticis** 369, 388, 391, 393, 402
Onnia scaura 241; tomentosa 241
Orbilia sp. 245
Ordus 271, 274, 276; **tribrachiatus** 271–276
Otidea sp. 245
Oudemansiella mucida 241; radicata 241; venoso-lamellata 241
Oxalica 109, 115–116, 119–120, 419
Oxyporus sp. 241
Paecilomyces 135, 138, 141–142; **aegyptiacus** 135, 142
Panellus serotinus 241; stipticus 241
Paxillus involutus 241; panuoides 241
Pectinata 504
Penicillium 39, 92, 95, 109–110, 143, 345, 351, 409, 418; spp. 484; adametzii 39, 42, 47–51, 103, 108; aeneum 41, 43–44; albidum 95, 97, 102–104, 108; albocinerascens 39, 42, 47, 49, 51; allahabadense 95, 97, 99, 101, 108; angustiporcatum 143, 150; arabicum 42, 48; asperosporum 409, 411, 415, 417–418; atrosanguineum 411–413; atrovenetum 42, 47, 51, 95, 98, 102, 106, 108; atrovirens 110–111; baradicum 410–411; bilaii 39–40, 43–44, 50; botryosum 410–411, 414; brasilianum 114, 116–117; canescens 95, 97, 100, 103, 108, 409, 417–418; capsulatum 39, 41, 43–44, 50–51; carminoviolaceum 39, 42, 51, 110–111, 113; chalesii 110–111, 113; var. rapidum 110, 112; chermesinum 41; chrysogenum 96, 108, 343–347, 351, 353, 346; cinereoatrum 39, 42–44, 50, 97, 99, 101; citreoatrum 95, 108; citreonigrum 39, 41, 43–44, 50–51, 99, 108; citreoroseum 95, 98, 105, 108; citreosulfuratum 42–43, 51; citreovirens 409–411, 414, 418; citreoviride 41, 43; var. aeneum 44; citrinum 106, 109, 111, 119–120, 409–411, 417–418; coeruleoviride 95, 98, 106, 108; coralligerum 411, 413, 415; corylophiloides 109–110, 113, 115, 120, 410, 412, 418; corylophilum 115, 120, 409–412, 414, 418; cremeogriseum 96–97; cyaneofulvum 95, 98, 105, 108; cyaneum 39, 42, 47–48, 50–51; daleae 95, 98, 105, 108; damascenum 95, 97, 100, 103, 108; decumbens 39, 42, 47–48, 50–51; var. atrovirens 111; dimorphosporum 39–41, 44, 50–51; ebenbitarianum 110–111; echinasum 103; echinatum 97, 104; echinulonalgiovense 95, 97–99, 101, 108; estinogenum 98, 102, 104–105; fellutanum 109–110, 120; var. nigrocastaneum 110–111; giganteum 411, 415–417; glabrum 40; glaucolanosum 42, 48; godlewskii 110, 112; gorlenkoarum 409, 411, 415, 417–418; griseo-azureum 110–112, griseolum 40; griseopurpureum 109–110, 112–113, 115, 120; griseoroseum 95, 98, 105; herquei 106, 409, 411, 413–414, 416, 418;

humuli 409, 411, 413–414, 418; inflatum 409, 411, 415–416, 418; janczewskii 95, 97, 103–104, 106, 108; janthinellum 95–98, 108; jensenii 109–110, 112, 115, 120; kapuscinskii 49, 51, 97, 100, 103; kojigenum 110, 112, 115; horiana 127, 129, 132; kurssanovii 40; linosyridi-caricis 162; luteo-aurantium 39, 42, 44, 49; luteocoeruleum 413, 416; madriti 109, 114, 116, 119–120, 410, 418; marneffei 95–97, 101, 108; megasporum 419, 411, 415–418; var. viridiflavum 95–96, 98, 108; melinii 47, 95, 98, 103–106, 109, 115, 120; miczynskii 44, 50, 409, 411–413, 418; minioluteum 95, 97, 101–104, 108; mirabile 95, 98, 102, 106, 108; nalgiovense 110, 112; **nepalense** 146; nigricans 97, 103; var. sulfuratum 97, 103; notatum 51, 105–106, 108; novaezeelandiae 109, 116, 118–120; ochrochloron 95, 97, 99, 108; oxalicum 109, 115–116, 120; paraherquei 116–117; patulum 351; paxilli 409, 411, 415–416, 418; pedemontanum 411–414; phialosporum 109, 114–116, 120; pinophilum 95, 99, 108; piscarium 114, 116–117; pulvillorum 116–117; purpurogenum 104; raciborski 97, 100; radulatum 98, 102, 104; raistrickii 109, 116, 118, 120; ramusculum 42, 47; raperi 96–97; requefortii 351; resedanum 39, 42, 44, 49–50; restrictum 39–41, 44, 50–51; rolfsii 109, 114, 116, 118, 120; roseopurpureum 39, 41–42, 50, 111; rugulosum 109, 116, 120; sclerotigenum 109, 114, 116, 118, 120; simplicissimum 109, 114, 116–117, 120; sizovae 109–111, 113, 120, 410, 418; skrjabinii 116–117; soppii 411–412; spinulosum 40, 409, 418; steckii 119, 410–411; striatisporum 40–41, 44; sublateritium 39, 42, 47, 50–51; swiecickii 95, 97, 100, 103, 108; syriacum 39, 41, 43–44, 50; turbatum 39, 41, 44, 47, 50–51; variabile 49–50; velutinum 44, 51, 95, 97, 99–100, 103; vinaceum 39, 41–51; waksmanii 109–113, 120; yarmokense 97, 100–101

Peniophora sp. 241; cremea 241

Phaeolepiota aurea 241

Phaeolus schweinitzii 241

Phalangispora constricta 452, 454

Phallus impudicus 241

Phellinus gilvus 241; hartigii 241; pomaceus 241

Phlogiotis helvelloides 241

Pholiota sp. 242; adiposa 68–69, 241; astragalina 241; aurivella 241; flammans 241; lenta 241; lubrica 241; nameko 65–69, 73–76, 241; spumosa 241; squarrosa 242

Phomatospora 280–282; **aucubae** 277–282

Phragmidium 127; rubi-oldhami 127, 132

Pichia 441, 444, 450; sp. 444–449; acaciae 441, 444–448; bovis 449; membranaefaciens 441, 444–448; mucosa 449; nakazawae 445–447; var. akitaensis 441, 445, 448; ohmeri 154–155; pinus 441, 444–447, 449; rhodanensis 441, 444–448; silvestris 448; toletana 449; veronae 441, 444–449; whickerhamii 449

Plasmodiophora brassicae 211

Platycarpa 397–398

Pleospora 35

Pleurocybella porrigens 242

Pleurophragmium dorycarpum 256; var. amazoniae 256; maculosum 257

Pleurotus 474; sp. 242, 467; ostreatus 65–76, 242

Podosporium chlorophaeum 250; consors 251; densum 256; effusum 256; japonicum 251; melanoplaca 251

Polypaecilum 138, 141–142

Polyporellus brumalis 242; elegans 242; picipes 242

Polyporus schweinitzii 464

Poria subacida 242; versipora 242

Porodaedalea chrysoloma 242; elegans 242

Porotheleum sp. 242

Protodaedalea hispida 242

Prototaphrina 398

Psathyrella sp. 242; velutina 242

Psiloglonium 284

Pseudohydnum gelatinosum 242

Puccinia 1, 3–5, 127, 403, 437; sp. 4, 159–160, 242, 403, 405; spp. 404–405; achnatheri-sibirici 127–128, 132; aomoriensis 405; atrofusca 5; caricis-circaearum 403–405; caricis-macrocephalae 5; caricis-rhizopodae 5; circaeae-caricis 404–405; daisenensis 437, 439–440; dioicae 1, 3–6; var. extensicola 5; var. **micropuncta** 1–2, 4, 6; var. sylvatica 5; erythropus 439; erythroxyli 387; extensicola var. hieraciata 5; **kawakamiensis** 403, 405–406, 408; linosyridi-caricis 405; miscanthi 439; nambuana 242; **pileatospora** 159, 161–163; polygoni-amphibii 127, 129, 242; var. convolvuli 133; pulchella 405; rubiae-tataricae 127, 129, 133; sorghi 127–128, 133; sylvatica 5; yokogurae 405; yokotensis 405

Pucciniastrum fagi 242, 437, 439–440; hydrangeae-petiolaridis 242; miyabeanum 242

Pucciniostele clarkiana 242

Pyricularia oryzae 170, 343–345, 348, 350, 353

Pythium 16, 25, 326, 343, 350; sp. 345, 348–349; aphanidermatum 15–23; debaryanum 319, 324–327; var. veticola 326–327; var. pelargonii 326–327; intermedium 25–28, 30–33; sylvaticum 327

Ramaria sp. 242; apiculata 242; botrytis 242; flava 242
Ravenelia 386, 397; capituliformis 388; ingae 384, 386; whetzelii 384, 386
Rhizoctonia 79–82, 85; spp. 79, 82; candida 82, 85; cerealis 84; endophytica var. endophytica 83; fragariae 83–85; globularis 84; muneratii 84; ramicola 83; solani 165–166, 169–172, 329–330, 334–346, 459
Rhodophyllus sp. 243; rhodopolius 243
Rhodosporidium toruloides 338
Rhodotorula 155; fujisanensis 154–155; rubra 154–155
Rhytidhysteron 283
Rigidae 504
Rosellinia sp. 245
Rozites caperata 243
Russula 497, 500–502, 504; sp. 243; alboareolata 498–499, 503; amoena 498–499, 502–505; bella 243, 498–499, 503–505; castanopsidis 498–499, 501, 503; compacta 498–499, 502–504; cyanoxantha 498–499, 502–504; densifolia 498–499, 502–503; farinipes 498–499, 501, 503–504; heterophylla 498–499, 502–505; laurocerasi 498–499, 501, 503–504; lepida 498–499, 502–504; lilacea 498–499, 501, 503–504; metachroa 498–499, 503–504; nigricans 243, 498–499, 503; pectinata 498–499, 503–504; pectinatoides 498–499, 501, 503–504; pseudodelica 498–499, 503–504; senecis 243, 498–499, 501, 503–504; sororia 498–499, 501, 503–504; vesca 498–499, 501, 503–505; violeipes 498–499, 502–505; virescens 243, 498–499, 502–505
Saccharomyces carlsbergensis 343; cerevisiae 154–155, 338, 342, 343, 349; kluyveri 448; rosei 154–155
Sarcodon imbricatum 243; scabrosus 243
Sawadaea 197–199
Schizophyllum commune 11, 173, 182, 243, 343, 345, 348–350, 353; pombe 352
Schizosaccharomyces pombe 343
Scleroderma sp. 243
Sclerotinia borealis 459
Sclerotium spp. 79; fumigatum 83; oryzae-sativae 83
Scopella 397; echinulata 380; quadrilobata 391, 393
Scopulariopsis 138
Scorpiosporium sp. 452–453, 455; angulata 453
Scutellinia scutellata 245
Septobasidium 398
Shearia formosa 121, 124–125; magnoliae 121
Shiraia 35; bambusicola 35–38
Smittium culisetae 11
Sordaria verruculosa 494
Sparassis crispa 243
Spathularia clavata 245
Sphacelotheca 299; granosa 299–300, 302, 306; hydropiperis 300; polygoni-senticosi 299–300, 302, 306
Sphaerotheca 308, 310, 311; **callicarpae** 307–309, 311; catalpae 308; delphinii 308; fuliginea 484; humuli 308
Sphaerulina 282; aucubae 277, 279–281
Speiropsis irregularis 452, 455
Spiropes 249–251, 257–258; spp. 253–255; armatellae 249–250, 252–253, 255, 258; clavatus 249–250, 253–254, 258; dialii 249–250, 252–254, 258; dorycarpus 249–250, 253–258; effusus 249–250, 253, 255–256, 258; helleri 249–250, 253, 255, 257–258; intricatus 249–250, 253–255, 258; japonicus 249–251, 253–254, 258; melanoplaca 249–254, 258
Spongiporus balsameus 243; caesius 243; fragilis 243; guttulatus 243; trichrous 243
Sporhelminthium asterinoides 256; myrtacearum 256
Stegonosporium formosum 121
Stereum hirsutum 243; ostrea 243; roseo-carneum 243; sanguinoletum 243; spadiceum 243
Stomatisora 369, 376; geophilicola 377
Stropharia aeruginosa 243
Suillus cavipes 243; granulatus 243; grevillei 243; luteus 243; pictus 243; sibiricus 243
Tegillum 369, 387–388, 402; fimbriatum 390, 393–394
Tetracladium 457; marchalianum 452, 455
Thanatephorus 80; cucumeris 459
Thecaphora 299, 301, 303, 306; affinis 301–303; astragali 301; deformans 301–303; desmodii 301, 303; hyalina 301; lathyri 301–303; orobi 301; viciae 301, 303; **viciae-amoenae** 299–302, 306
Thekopsora sp. 243; hakkodensis 243; vaccinii 243
Thermoascus 135, 138, 141; spp. 139; **aegyptiacus** 135, 137, 139–142; aurantiacus 138; crustaceus 138–142; thermophilus 138–139, 141–142
Tilletia 299, 303–304; barclayana 299, 301, 303, 306; commelinae 299, 301, 303, 306; corona 303; horrida 303
Torulopsis cantarellii 154–155; stellata 154–155; colliculosa 154–155; dattila 154–155; kruisii 154–155
Trametes cinnabarina 244
Trematosphaeria yakushimensis 259–260
Tremella mesenterica 338
Trichoderma harzianum 343; viride 343
Tricholoma sp. 244; flavovirens 244; matsutake 185,

187–189; portentosum 244; saponaceum 244; var. saponaceum 244; sejunctum 244; sulphureum 244; ustale 244; vaccinum 244; virgatum 244
Tricholomopsis decora 244; platyphylla 244; rutilans 244
Trinacrium subtile 452–453, 456
Tripospermum 271, 276, 453; sp. 452, 455; chiayiense 276; prolongatum 452, 455
Triscelophorus 453; sp. 452–454, 456; acuminata 452–454
Typhula 459–460, 463–464; idahoensis 313–316, 318; incarnata 459–465; ishikariensis 313–318, 459–465; var. canadensis 313–318; var. idahoensis 313, 318; var. ishikariensis 313–314, 318;
Tyromyces albellus 244; pubescens 244; semipileatus 244; semisupinus 244; subochrotinctus 244
Uleomyces purpurascens 387
Uncinula 197–199; sp. 198; aceris 198; aduncoides 197–200; curvispora 231; septata 231–233; var. curvispora 233; sinensis 199
Uredinopsis 397–398
Uredo 374, 387, 393–394; capituliformis 388–389; cissicola 372; colebrookiana 390; dioscoreae 373; dioscoreae-alatae 373; dioscoreae-pyrifoliae 373–374; excipulata 384; hiulca 372; ingae 386; maprouneae 386; mogi-mirin 384–385; tectonae 392; viticis 393; viticis-polygamae 393
Uromyces 127; albescens 381; aloes 89–91; ingae 384, 386; ingaeiphilus 384; ingicola 384, 386; ingoides 385; itoanus 131; japonicus 127, 130, 133; lespedezae-procumbentis 127, 130; var. itoanus 131, 133; var. lespedezae-procumbentis 133; polygoni 131; polygoni-avicularíae 127, 131, 133; porcensis 384, 386
Ustilago 299, 304; avenae 299, 304, 306; calamagrostidis 299, 304, 306; coicis 299, 301, 304, 306; commelinae 303
Ustulina deusta 245
Velutina 106
Verpa formosana 507
Verticillum 92
Virescentinae 504
Xerocomus sp. 244
Xeromphalina campanella 244
Xylaria hypoxylon 245
Xylogone sphaerospora 428
Ypsilospora 387

ISSN 0029-0289

Vol. 24 No. 1

April 1983

TRANSACTIONS OF THE MYCOLOGICAL SOCIETY OF JAPAN

NGKKAT 24(1) 1-93 (1983)

CONTENTS

Aecial stage of *Puccinia dioicae* var. *micropuncta*, var. nov. occurs on *Artemisia* in Japan ..... Y. Ono 1

Ultrastructural study of hyphal walls of *Alternaria kikuchiana* treated with alkali, acid and digestive enzymes ..... M. Kohno, H. Ishizaki, P.-H. Lin, K. Yamamori and H. Kunoh 7

Distribution of *Pythium aphanidermatum* in Japan: its significance ..... T. Watanabe 15

Formation and deciduousness of sporangia of *Pythium intermedium* ..... T. Watanabe 25

On the type specimen of *Shiraia bambusicola* ..... N. Amano 35

Taxonomic studies of *Penicillium* II. Species in the section *Exilacaulis* ..... S. Abe, M. Iwai and H. Yoshioka 39

Redescription of *Galactomyces reessii* based upon an isolate producing a new protopectinase ..... J. Sugiyama, J. D. Lee and T. Sakai 53

Catechol-oxidizing activities of basidiomycetous fungi ..... T. Tsuruta and M. Kawai 65

Anastomosis groups of binucleate *Rhizoctonia* in Japan and North America and their perfect states ..... A. Ogoshi, M. Oniki, T. Araki and T. Ui 79

Short Communication

Susceptibility of chromosomal variants of *Haworthia setata* to a rust fungus, *Uromyces aloes* ..... T. Sato and K. Katsuya 89

Miscellaneous article

Mycological research in the Institute of Microbiology, Academia Sinica, China ..... K. Tubaki 92

MSJ notice i

Trans. mycol. Soc. Japan

日 菌 報 24 (1) 〔1983〕

日本菌学会会報

Application for membership in the Mycological Society of Japan is accepted upon receipt of the annual subscription (¥ 6,000 or the equivalent in U. S. dollars for members) at its office, Business Center for Academic Societies Japan, 4–16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan (postal money order: Tokyo 9-55247). Subscriptions from institutions (¥ 12,000) and orders for back volumes are also received at the same office.

"Instructions to Authors" appears on page iii (No. 1) of this volume.

(本会報直接出版費の一部は文部省研究成果刊行費による.)

日本菌学会会報　第24巻第1号

昭和58年4月20日　印刷
昭和58年4月30日　発行

編集者	畑　中　信　一
発行代表者	青　島　清　雄
印刷所	中西印刷株式会社
	〒602 京都市上京区下立売通小川東入
	電話 京都 (075)441-3155 (代)～9
	振替口座 京都 3464
発行所	日　本　菌　学　会
	財団法人 日本学会事務センター内
	〒113 東京都文京区弥生2-4-16
	学会センタービル Tel. 03-815-1903

入会は日本菌学会事務局（〒113 東京都文京区弥生2-4-16，学会センタービル・日本学会事務センター内）で受け付けています．23巻1号表紙の次に付いております入会申込書にご記入の上，40円切手を貼って御投函下さい．通常会員は年額会費 6,000円です（振替口座　東京 9-55247　口座名義（財）日本学会事務センター）．団体による会報の予約購読（年額 12,000円）やバックナンバーの購入申し込みは(財)日本学会事務センター事業部（〒113 東京都文京区向ケ丘1-20-6 東大 YMCA 会館内，振替口座　東京 6-92052）で受け付けております．

日本菌学会会報

第24巻　第1号

目　　次

新変種 *Puccinia dioicae* var. *micropuncta* の銹胞子世代は *Artemisia* 属植物上に生ずる……小野　義隆　1

アルカリ，酸，溶解酵素処理した *Alternaria likuchiana* の菌糸細胞壁の微細構造 ……河野　満・石崎　寛・林　晒宏・山守　一男・久能　均　7

日本における *Pythium aphanidermatum* の分布とその意義……渡辺　恒雄　15

Pythium intermedium の胞子のう形成および離脱性……渡辺　恒雄　25

Shiraia bambusicola の基準標本について……天野　典英　35

ペニシリウム属の分類学的研究 第2報 *Exilicaulis* 節の菌種……阿部　重雄・岩井　正憲・吉岡　一　39

新規のプロトペクチナーゼを産生する1分離株にもとづく *Galactomyces reessii* の再記載……杉山　純多・李　宰東・坂井　拓夫　53

担子菌のカテコール酸化能……鶴田　輝之・川合　正允　65

わが国と北米で報告された2核 *Rhizoctonia* の菌糸融合群と各群の完全世代について……生越　明・鬼木　正臣・荒木　隆男・宇井　格生　79

短　報

Haworthia setata 染色体変異株の *Uromyces aloes* に対する感受性……佐藤　豊三・勝屋　敬三　89

雑　録

中国微生物研究所における菌学研究……椿　啓介　92

学会記事……i

日 本 菌 学 会 発 行

事務局：東京都文京区弥生2-4-16　学会センタービル・日本学会事務センター内（〒113）

Published quarterly by the Mycological Society of Japan
Office: Business Center for Academic Societies Japan,
4-16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan

ISSN 0029-0289
Vol. 24 No. 2
July 1983

TRANSACTIONS OF THE MYCOLOGICAL SOCIETY OF JAPAN

NGKKAT 24(2) 95-247 (1983)

CONTENTS

Taxonomic studies of *Penicillium* III. Species in the section *Divaricatum* .... S. Abe, M. Iwai and H. Tanaka 95
Taxonomic studies of *Penicillium* IV. Species in the section *Divaricatum* (continued) and *Furcatum*........ S. Abe, M. Iwai and M. Awano 109
Materials for the fungus flora of Japan (33) .... K. Tubaki, S. Murata and A. Nakagiri 121
Materials for the rust flora of Japan III........ Y. Harada 127
Thermoascus aegyptiacus, a new thermophilic ascomycete .... S. Ueda and S. Udagawa 135
Two new species of *Eupenicillium* from Nepalese soil .... M. Takada and S. Udagawa 143
Yeast flora in wild grapes from mountainous places around the Kofu Basin of Central Japan .... S. Goto and H. Oguri 151
Puccinia pileatospora, a new caricicolous rust, produces an aecial state on *Ainsliaea acerifolia* var. *subapoda*........ M. Kakishima and S. Sato 159
Relation between fine spots on broad bean leaf inoculated with *Rhizoctonia solani* and degeneration of the leaf's glandular hair tissues .... T. Endo and O. Wakae 165
Release and regeneration of protoplasts from the oidia of *Coprinus cinereus*........ K. Akamatsu, T. Kamada and T. Takemaru 173
Quantitative analysis of odorous compounds in the fruit bodies of *Tricholoma matsutake* .... A. Ohta 185
Isolation and identification of a new γ-L-glutamylpeptide, γ-L-glutamyl-*cis*-3-amino-L-proline from the cultured mycelia of *Morchella esculenta* .... M. Moriguchi, K. Kimura and S.-I. Hatanaka 191
Notes on the powdery mildew fungus of *Uncinula* on *Acer* in Japan .... Y. Nomura and S. Tanda 197
Notes on the powdery mildew fungus on *Deutzia* in Japan .... Y. Nomura and S. Tanda 201
Effect of certain components of onion bulb sap on the spore germination of *Aspergillus niger*........ K. Tanaka and F. Nonaka 205

(Continued on inside cover)

Trans. mycol. Soc. Japan
日 菌 報 24 (2) 〔1983〕

日本菌学会会報

Effect of lignin and its precursors on vegetative growth and fruiting body formation in *Lentinus edodes* ....N. Kawamura, M. Goto and Y. Nakamura 213

Miscellaneous Articles

Cudonia convoluta and *Helvella infula*: two ascomycetous fungi new to Taiwan ....K. Chen and C. Chien 223
Aseroe rubra was collected again in Ehime Prefecture ....T. Okino 229
Notes on the ascospores of *Uncinula septata*..................................Y. Nomura 231
List of fungi of Mt. Fuji... 235
Book Reviews.. 246
MSJ notice.. ii

Application for membership in the Mycological Society of Japan is accepted upon receipt of the annual subscription (¥ 6,000 or the equivalent in U. S. dollars for members) at its office, Business Center for Academic Societies Japan, 4–16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan (postal money order: Tokyo 9-55247). Subscriptions from institutions (¥ 12,000) and orders for back volumes are also received at the same office.

"Instructions to Authors" appears on page iii (No. 1) of this volume.

(本会報直接出版費の一部は文部省研究成果刊行費による.)

資料・雑録
台湾新産子のう菌2種について……陳　桂玉・簡　秋源 223
アカイカタケ再び愛媛県にて採集する……沖野登美雄 229
コナラのうどんこ病菌 *Uncinula septata* の子嚢胞子について……野村　幸彦 231
富士山菌類目録……235
書　評……246
学会記事……ii

日本菌学会会報　第24巻第2号

昭和58年7月20日　印刷
昭和58年7月30日　発行

編集者	畑中信一
発行代表者	青島清雄
印刷所	中西印刷株式会社 〒602 京都市上京区下立売通小川東入 電話 京都 (075)441-3155 (代)～9 振替口座 京都 3464
発行所	日本菌学会 財団法人 日本学会事務センター内 〒113 東京都文京区弥生2-4-16 学会センタービル Tel. 03-815-1903

入会は日本菌学会事務局（〒113 東京都文京区弥生2-4-16, 学会センタービル・日本学会事務センター内）で受け付けています．23巻1号表紙の次に付いております入会申込書にご記入の上，40円切手を貼って御投函下さい．通常会員は年額会費 6,000円です（振替口座　東京 9-55247　口座名義（財）日本学会事務センター）．団体による会報の予約購読（年額 12,000円）やバックナンバーの購入申し込みは(財)日本学会事務センター事業部（〒113 東京都文京区向ケ丘1-20-6 東大 YMCA 会館内，振替口座　東京 6-92052）で受け付けております．

日本菌学会会報

第24巻　第2号

目　　次

ペニシリウム属の分類学的研究 第3報. *Divaricatum* 節の菌種
……阿部　重雄・岩井　正憲・田中　英之　95
ペニシリウム属の分類学的研究 第4報. *Divaricatum* 節（続）と *Furcatum* 節の菌種
……阿部　重雄・岩井　正憲・淡野　政弘　109
日本菌類誌資料 (33) ……椿　啓介・村田　新一・中桐　昭　121
日本産銹菌資料-Ⅲ ……原田　幸雄　127
好高温性子のう菌の新種 *Thermoascus aegyptiacus* ……上田　成一・宇田川俊一　135
ネパールの土壌より分離された *Eupenicillium* の2新種について ……高田　正樹・宇田川俊一　143
日本中部・甲府盆地周辺の山地の山ブドウにおける酵母相……後藤　昭二・小栗　博幸　151
オクモミジハグマ上で銹胞子世代を経過するスゲ属植物に寄生する銹菌の1新種, *Puccinia pileatospora* ……柿島　真・佐藤　昭二　159
イネ紋枯病菌 *Rhizoctonia solani* を接種したソラマメ葉に形成される微小斑点と分泌毛の関係……遠藤　敏夫・若江　治　165
ネナガノヒトヨタケのオイディアからのプロトプラストの遊離および再生
……赤松　健一・鎌田　堯・武丸　恒雄　173
マツタケ子実体に含まれる香気成分の定量……太田　明　185
Morchella esculenta の培養菌糸体から新しい γ-L-グルタミルペプチド, γ-L-グルタミル-シス-3-アミノ-L-プロリンの単離と同定 ……森口　充瞭・木村　工成・畑中　信一　191
カエデ属に寄生する *Uncinula* 属うどんこ病菌 ……野村　幸彦・丹田誠之助　197
日本産ウツギ属のうどんこ病菌……野村　幸彦・丹田誠之助　201
タマネギ黒かび病菌の胞子発芽におよぼすタマネギ鱗茎搾汁液中の成分について
……田中　欽二・野中　福次　205
シイタケ菌の栄養生長および子実体形成に及ぼすリグニンおよびリグニン前駆物質の効果……河村のり子・後藤　正夫・中村　嘉宏　213

（裏面につづく）

日本菌学会発行

事務局：東京都文京区弥生2-4-16　学会センタービル・日本学会事務センター内（〒113）

Published quarterly by the Mycological Society of Japan
Office: Business Center for Academic Societies Japan,
4-16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan

ISSN 0029-0289
Vol. 24 No. 3
October 1983

TRANSACTIONS OF THE MYCOLOGICAL SOCIETY OF JAPAN

NGKKAT 24(3) 249-368 (1983)

CONTENTS

Hyperparasitic species of *Spiropes* in Japan ....K. Katumoto 249
Notes on some plant-inhabiting Ascomycotina from western Japan (3)
.... K. Katumoto 259
Ordus, a new genus of Hyphomycetes ....K. Ando and K. Tubaki 271
Materials for the fungus flora of Japan (34) ....T. Kobayashi and Y. Suto 277
Saprobic loculoascomycetous fungi from Japan
1. Hysteriaceous fungi ....N. Amano 283
Materials for the smut flora of Japan I...Y. Harada 299
New powdery mildew fungi on *Callicarpa japonica* and *Meliosma myriantha* ....S. Tanda and Y. Nomura 307
Genetic relationships within the *Typhula ishikariensis* complex
..................................N. Matsumoto, T. Sato, T. Araki and A. Tajimi 313
Pythium wilt of grafted watermelon/bottle gourd plants and some characters of its pathogen
.... T. Tominaga, A. Tamada, S. Shindo, H. Wada and E. Kimijima 319
Studies on hyphal anastomosis of *Rhizoctonia solani*
I. Observation of perfect fusion with light microscopy
.... K. Yokoyama, A. Ogoshi and T. Ui 329

Review

Fungal protoplasts—isolation, regeneration, reversion, fusion, and application ....H. Kunoh 341

Miscellaneous Articles

Marasmius echinatulus, new to Japan...Y. Shidei 357
On the Third International Mycological Congress ....K. Tubaki 361

Book Reviews.. 367
MSJ Notice xi

Trans. mycol. Soc. Japan
日 菌 報 24 (3) [1983]

日本菌学会会報

Application for membership in the Mycological Society of Japan is accepted upon receipt of the annual subscription (¥ 6,000 or the equivalent in U. S. dollars for members) at its office, Business Center for Academic Societies Japan, 4–16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan (postal money order: Tokyo 9-55247). Subscriptions from institutions (¥ 12,000) and orders for back volumes are also received at the same office.

"Instructions to Authors" appears on page iii (No. 1) of this volume.

（本会報直接出版費の一部は文部省研究成果刊行費による.）

日本菌学会会報　第24巻第3号

昭和58年10月20日　印刷
昭和58年10月30日　発行

編集者		畑中信一
発行代表者		青島清雄
印刷所		中西印刷株式会社
	〒602	京都市上京区下立売通小川東入
		電話 京都 (075)441-3155 (代)～9
		振替口座　京都　3464
発行所		日本菌学会
		財団法人　日本学会事務センター内
	〒113	東京都文京区弥生2-4-16
		学会センタービル Tel. 03-815-1903

入会は日本菌学会事務局（〒113 東京都文京区弥生2-4-16，学会センタービル・日本学会事務センター内）で受け付けています．23巻1号表紙の次に付いております入会申込書にご記入の上，40円切手を貼って御投函下さい．通常会員は年額会費 6,000円です（振替口座　東京 9-55247　口座名義（財）日本学会事務センター）．団体による会報の予約購読（年額 12,000円）やバックナンバーの購入申し込みは（財）日本学会事務センター事業部（〒113 東京都文京区向ケ丘1-20-6 東大 YMCA 会館内，振替口座　東京 6-92052）で受け付けております．

日本菌学会会報

第24巻　第3号

目　　次

日本産重複寄生性スピロペス属菌 ……………………………………勝本　謙 249
西日本産植物寄生子囊菌類知見(3)……………………………………勝本　謙 259
不完全菌類の新属 *Ordus* …………………………………安藤　勝彦・椿　啓介 271
日本菌類誌資料 (34)………………………………………小林　享夫・周藤　靖雄 277
日本産腐生小房子のう菌類 1. ヒステリウム科…………………………天野　典英 283
日本産黒穂菌資料 I ………………………………………………………原田　幸雄 299
ムラサキシキブとアワブキに発生した2種の新うどんこ病菌
……………………………………………………………丹田誠之助・野村　幸彦 307
雪腐黒色小粒菌核病菌 (*Typhula ishikariensis*) の分類群間
およびび分類群内の遺伝的関係
…………………………松本　直幸・佐藤　徹・荒木　隆男・但見　明俊 313
ユウガオ台つぎ木スイカの立枯病および病原菌の諸性質
…………富永　時任・玉田　明・新藤　聡・和田　浩幸・君島　悦夫 319
Rhizoctonia solani の菌糸融合に関する研究 I．完全融合の
光顕的観察……………………………横山　和成・生越　明・宇井　格生 329
総　説
真菌プロトプラストとその応用 ……………………………………………久能　均 341
資料・雑録
日本新産種ミヤコホウライタケ (*Marasmius echinatulus*) について
………………………………………………………………………………四手井淑子 357
第3回国際菌学会議報告 ……………………………………………………椿　啓介 361
書　評 ………………………………………………………………………………… 367
学会記事 ……………………………………………………………………………… xi

日本菌学会発行

事務局：東京都文京区弥生2-4-16　学会センタービル・日本学会事務センター内 (〒113)

Published quarterly by the Mycological Society of Japan
Office: Business Center for Academic Societies Japan,
4-16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan

ISSN 0029-0289

Vol. 24 No. 4

December 1983

TRANSACTIONS OF THE MYCOLOGICAL SOCIETY OF JAPAN

NGKKAT 24(4) 369-508 (1983)

CONTENTS

Taxonomy of the Chaconiaceous genera (Uredinales) .... Y. Ono and Joe F. Hennen 369

Puccinia kawakamiensis, a new caricicolous rust, produces the aecial state on *Circaea erubescens* .... M. Kakishima and S. Sato 403

Taxonomic studies of *Penicillium* V. Species in the section *Furcatum* (continued) .... S. Abe, M. Iwai and T. Ishikawa 409

A new species of *Hypoderma* causing dieback in *Chamaecyparis obtusa* and *Thuja orientalis* .... Y. Suto 419

Bahusakala longispora sp. nov., and its geographical distribution in the pine forests of Japan .... S. Tokumasu and K. Tubaki 425

A new species of *Cerotelium* (Uredinales) on *Asarum* .... S. Kaneko, K. Katumoto and N. Hiratsuka 433

Notes on the host alternation of *Puccinia daisenensis* and *Pucciniastrum fagi* .... S. Kaneko and N. Hiratsuka 437

Ascomycetous yeasts isolated from galleries of the ambrosia beetles in Japan .... I. Banno, K. Mitaka and K. Kodama 441

Aquatic Hyphomycetes from Thailand .... K. Tubaki, K. Watanabe and L. Manoch 451

Intra- and intertaxon interactions among dikaryons of *Typhula incarnata* and *T. ishikariensis* biotypes A, B, and C. .... N. Matsumoto and A. Tajimi 459

Regeneration of fruiting bodies in *Favolus arcularius* .... T. Horikoshi, Y. Kitamoto and Z. Kasai 467

Effect of *Bacillus licheniformis* on *Fusarium oxysporum* f. sp. *cucumerinum* .... H. Shigemitsu, K. Hirano, M. Kohno, H. Ishizaki and H. Kunoh 477

Periodicity of conidial discharge of *Erynia radicans* .... M. Yamamoto and J. Aoki 487

Observations of spore ornamentation in *Russula* species by scanning electron microscopy .... Y. Shimono 497

Miscellaneous Article

Japan-Taiwan cooperative exploration of the fungal flora in Taiwan .... Y. Kobayasi 507

Book Review 508

MSJ notice xv

Index to Volume 24 xvii

Trans. mycol. Soc. Japan

日 菌 報 24 (4) [1983]

日本菌学会会報

Application for membership in the Mycological Society of Japan is accepted upon receipt of the annual subscription (¥ 6,000 or the equivalent in U. S. dollars for members) at its office, Business Center for Academic Societies Japan, 4–16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan (postal money order: Tokyo 9-55247). Subscriptions from institutions (¥ 12,000) and orders for back volumes are also received at the same office.

"Instructions to Authors" appears in Vol. 23, No. 1, p. iii.

(本会報直接出版費の一部は文部省研究成果刊行費による.)

走査電子顕微鏡によるベニタケ属胞子の表面構造の観察 ……………下野　義人 497

雑　録

日台合同台湾産菌類総合調査 ……………………………………………小林　義雄 507

書　評 ……………………………………………………………………………… 508

学会記事 ……………………………………………………………………………… xv

第24巻索引 …………………………………………………………………………… xvii

日本菌学会会報　第24巻第4号

昭和58年12月20日　印刷
昭和58年12月31日　発行

編集者		畑　中　信　一
発行代表者		青　島　清　雄
印刷所		中西印刷株式会社
	〒602	京都市上京区下立売通小川東入 電話 京都 (075)441-3155 (代)～9 振替口座 京都 3464
発行所		日　本　菌　学　会 財団法人　日本学会事務センター内
	〒113	東京都文京区弥生2-4-16 学会センタービル Tel. 03-815-1903

入会は日本菌学会事務局 (〒113 東京都文京区弥生2-4-16, 学会センタービル・日本学会事務センター内) で受け付けています. 24巻1号表紙の次に付いております入会申込書にご記入の上, 40円切手を貼って御投函下さい. 通常会員は年額会費 6,000円です (振替口座　東京 9-55247　口座名義 (財) 日本学会事務センター). 団体による会報の予約購読 (年額 12,000円) やバックナンバーの購入申し込みは (財) 日本学会事務センター事業部 (〒113 東京都文京区向ケ丘1-20-6 東大 YMCA 会館内, 振替口座　東京 6-92052) で受け付けております.

日 本 菌 学 会 会 報

第24巻　第4号

目　　次

チャコニア科サビ菌属（サビ菌目）の分類 ………小野　義隆・Joe F. Hennen 369

スゲ属植物に寄生し，タニタデ上で銹胞子世代を経過する銹菌の1新種，
Puccinia kawakamiensis……………………………柿島　真・佐藤　昭二 403

ペニシリウム属の分類学的研究　第5報．*Furcatum* 節の菌種（続）
……………………………………………阿部　重雄・岩井　正憲・石川　勉 409

ヒノキとコノテガシワの枝枯性病害を起こす *Hypoderma* 属の1新種
……………………………………………………………………周藤　靖雄 419

不完全菌の1新種 *Bahusakala longispora* と本邦松林における
その地理的分布について……………………………徳増　征二・椿　啓介 425

フタバアオイに寄生する *Cerotelium* 属（サビ菌目）の1新種
……………………………………………金子　繁・勝本　謙・平塚　直秀 433

Puccinia daisenensis と *Pucciniastrum fagi* の異種寄生性
……………………………………………………………金子　繁・平塚　直秀 437

養菌性キクイムシの食害孔から分離される子のう菌酵母
……………………………………………坂野　勲・見方洪三郎・小玉　健吉 441

タイ国産水生不完全菌類 ……………椿　啓介・渡辺　香代・Leka Manoch 451

雪腐小粒菌核病菌の分類群内および分類群間の相互関係
……………………………………………………………松本　直幸・但見　明俊 459

アミスギタケの子実体切株からの子実体の再生
……………………………………………堀越　孝雄・北本　豊・葛西善三郎 467

Fusarium oxysporum f. sp. *cucumerinum* に及ぼす *Bacillus licheniformis* の影響
…………重光　春洋・平野　勝裕・河野　満・石崎　寛・久能　均 477

Erynia radicans 分生子放出の周期性 ……………………山本　光江・青木　襄児 487

（裏面に続く）

日 本 菌 学 会 発 行

事務局：東京都文京区弥生2-4-16　学会センタービル・日本学会事務センター内（〒113）

Published quarterly by the Mycological Society of Japan
Office: Business Center for Academic Societies Japan,
4-16, Yayoi 2-chome, Bunkyo-ku, Tokyo 113, Japan